SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, AND 30 1. REQUISITION NUMBER W45G1862552429 PAGE 1 OF 17										
2. CONTRACT NO. W911RQ-07-P-0075	3. AWARD/EFF 30-Jan-200	I	ER NUMBER		5. SOLICITAT W911RQ-	ION NUMBER 07-T-0039		CITATION ISSUE DATE C-2006		
7. FOR SOLICITATION INFORMATION CALL:	a. NAME PETE PETEI	RSON				IE NUMBER (No C	' I	R DUE DATE/LOCAL TIME PM 24 Jan 2007		
9. ISSUED BY	0005	V911RQ	10. THIS ACQU		903-334-2	11. DELIVERY F	FOR FOB 12. DIS	SCOUNT TERMS		
RED RIVER ARMY DEPOT DIRECTORATE FOR CONTRAC 100 MAIN DRIVE BUILDING 4 TEXARKANA TX 75507-5000			I H	E: 100) % FOR S L BUSINESS	IIXI	(ED	Days TED ORDER		
TEL:			NAICS: 33329	18			SOLICITATION			
FAX:			SIZE STANDAR	RD: 500		X RFQ	IFB	RFP		
15. DELIVER TO RED RIVER ARMY DEPOT DARLENE PHELPS XR CONSOL PROP OFF DDRT BLDG 499 10TH STREET AND K AVENUE TEXARKANA TX 75507-5000	16. ADMINISTERED BY CODE SEE ITEM 9									
17a.CONTRACTOR/OFFEROR	(CODE 3MOD1	18a. PAYMENT	8a. PAYMENT WILL BE MADE BY CODE HQ0303						
ROGERS ASSOCIATED MACHI JEFF MCFADDEN 15 SAINT JAMES ST ROCHESTER NY 14606-1614	DFAS - ROCK ISLAND OPERATING LOCATION ATTN: DFAS-RI-FPV BLDG 68 ROCK ISLAND IL 61299-8300									
TEL. 585-647-2230	COI	DE CILITY								
17b. CHECK IF REMITTA SUCH ADDRESS IN OFF		AND PUT	18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a. UNLESS BLOCK BELOW IS CHECKED SEE ADDENDUM							
19. ITEM NO.	20. SCHEDU	LE OF SUPPLIES/ SE	RVICES	2	1. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT		
		SEE SCHEDULE								
25. ACCOUNTING AND APPRO	OPRIATION DATA					26. TOTAL A	AWARD AMOUNT (F	For Govt. Use Only)		
See Schedule								\$88,600.00		
27a. SOLICITATION INCOF							DDENDA ARE	ARE NOT ATTACHED ARE NOT ATTACHED		
28. CONTRACTOR IS REQUIR TO ISSUING OFFICE. CON SET FORTH OR OTHERWI SUBJECT TO THE TERMS.	LIVER ALL ITEMS OFFER DATED . YOUR OFFER ON SOLICITATION									
30a. SIGNATURE OF OFFERO	OR/CONTRACTOR		31a.UNITED	STATES O	F AMERICA (SIGNATURE OF CO	NTRACTING OFFICER) 31c. DATE SIGNED		
			1	Dono	odek	ends		31-Jan-2007		
30b. NAME AND TITLE OF SI	GNER	30c. DATE SIGNED	31b. NAME	OF CONTRA	CTING OFFICER	R (TYPE C	R PRINT)	'		
(TYPE OR PRINT)	DONALD E. KENNEDY / CONTRACTING OFFICER									
		TEL: 903-334-2656 EMAIL: donald.kennedy1@us.army.mil								

SOLICITA	OLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS (CONTINUED)										PA	AGE 2 OF 17
19. ITEM NO.			20. SCHEDULE OF S	SUPPLIES/ SER	VICES	•	21. QUANTI	TY :	22. UNIT	23. UNIT F	PRICE	24. AMOUNT
19. ПЕМ NO.					VICES		21. QUANTI	TY ;	22. UNIT	23. UNIT F	RICE	24. AMOUNT
32a. QUANTITY IN COLUMN 21 HAS BEEN RECEIVED INSPECTED ACCEPTED, AND CONFORMS TO THE CONTRACT, EXCEPT AS NOTED:												
32b. SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE			32c. DATE		32d. PRINTED NAME AND TITLE OF AUTHORIZED REPRESENTATIVE			RIZED GOVE	ERNMEN ⁻	Г		
32e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESEN					E	32f. TELEPHONE NUMBER OF AUTHORIZED GOVERNMENT REPRESENTATIVE 32g. E-MAIL OF AUTHORIZED GOVERNMENT REPRESENTATIVE					PRESENTATIVE	
						DEG. E MAIL OF ACTIONIZED GOVERNMENT INTERESENTATIVE						
33. SHIP NUMBER	FINAL	34. VOU	CHER NUMBER	35. AMOUNT VI CORRECT		36.	PAYMENT COMPLET	TE F	PARTIAL [FINAL	37. CHE	CK NUMBER
38. S/R ACCOUNT		R 39.	S/R VOUCHER NUMBER	40. PAID BY		l						
41a. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYME 41b. SIGNATURE AND TITLE OF CERTIFYING OFFICER 41c. DATE					42a. RE	RECEIVED BY (Print)						
					42b. RE	CEIVED AT (Location)						
			42c. DA	TE REC'D (YY/MM/DD)	42d. TO	OTAL CONT	AINERS				

Section SF 1449 - CONTINUATION SHEET

PURCHASE DESCRIPTION

PURCHASE DESCRIPTION FOR Transmission Flush Machine 11 Jan 2007

- 1. Scope: This purchase description covers the physical and functional requirements for the purchase of one power washing machine that has been designed to flush the contaminants out of the oil galleys of the Bradley transmission housing. The transmission housing is part of the Bradley/MLRS transmission. The transmission must be cleaned properly to remove all contaminants that may cause premature transmission failure. The machine is described in such detail as to procure an item that is ready for installation and use upon arrival at Red River Army Depot.
- 1.1 Part Drawing: Part drawings are included as a part of this package.
 - a. Bradley Transmission Housing, PN 12446590.
 - 1. See Sheet 2, C6, 2 holes.
 - 2. See Sheet 2, C4, 1 hole.
 - 3. See Sheet 5, C5, 1 hole.
 - 4. See Sheet 7, G7, 1 hole.
 - 5. See Sheet 7, B6, 1 hole.
 - 6. See Sheet 8, C6, 1 hole.
 - 7. See Sheet 8, C4, 1 hole.
 - 8. See Sheet 8, B5, 1 hole.

NOTE: A transmission housing will be shipped to the successful vendor for design and testing of the machine. See 3.1.1.

- 2. Design: The transmission flush machine shall be new and one of the manufacturer's current models and capable of cleaning the oil galley ports in accordance with the requirements herein. The machine design and construction shall include all components, parts and features necessary to meet the performance requirements specified herein.
- 3. General Information. The power washer shall be designed to operate with water that has been heated by the use of electric power. Cleaning shall be accomplished by the force of water impinging on the surfaces of the oil galleys. The force will be generated by high pressure water flowing through the transmission.
- 3.1. Construction. Washer cabinet, reservoir, and all standard wetted components shall be fabricated of "stainless steel". The washer cabinet and reservoir shall be constructed of 11 gauge stainless steel plate.
- 3.1.1. Layout/Installation. After a purchase order is placed, approval drawings will be submitted prior to start up. Exact layout plan and dimensions will be discussed during the drawing review approval stage. A sample transmission housing shall be shipped to the successful vendor at the beginning of the design stage to ensure all of the oil galleys are being thoroughly cleaned.
- 3.2. Cabinet Reservoir. Reservoir capacity shall have a minimum of 250 300 gallons of water. The reservoir may be an integral part of the cabinet or stand alone unit connected by hose

or pipe to the cabinet. The reservoir shall be fabricated from stainless steel. The floor of the reservoir shall be sloped to facilitate draining of the cleaning solution and rinse water. The lowest point of the tank bottom reservoir shall have a drain with a minimum dimension of two inches. The drain shall be furnished with a shut off valve located exterior to the cabinet. Drain will be used only to facilitate machine maintenance.

- 3.2.1 Cabinet Loading Door. The cabinet shall utilize one door for loading and unloading of parts. The door shall have a safety door latch, locking it positively in the closed position. Door latch shall not be self locking. The door dimensions are approximately 34 inches wide x 45 inches high. This door shall be counterweighted for ease of operation. Door shall be equipped with quick release and a locking latch in the open position to firmly stabilize the door during loading. The door seals will be steel labyrinth and steel to steel compression type to prevent steam from discharging into the shop area. Plastic or other non-steel seals that require periodic replacement are not allowed. A safety door interlock shall be furnished where the washer shall have safety door interlock switch that automatically shuts down cleaning cycle when loading door is open. The cabinet shall be furnished with one set of fixed gravity roller conveyor wheels inside the cabinet. Size: 28" wide. Load rating TBD by transmission housing weight.
- 3.3. Water Inlet Ports. To deliver the high pressure water the machine shall have the spray pipes/hoses arranged where special hoses can be attached to the transmission to ensure that the internal surfaces of the transmission receives the proper cleaning to remove any contaminants from the transmission to avoid contaminates left in the transmission housing that could cause premature transmission failure. Hoses shall be specifically designed and rated for use in high pressure water cleaning equipment and capable of operating at the pressure of the system. Each hose shall be positioned to blast on its own plane and not deflect or otherwise interfere with solution blasted from other hoses in the system. The cabinet shall be furnished with 9 each internal supply hoses, (length to be determined by the vendor). The internal supply hoses will connect to the transmission housing that is being cleaned.
- 3.3.1 Water Pressure. The power washing machine shall deliver 90-100 GPM (minimum) at 90-100 psig water to the cabinet. A safety switch shall be furnished to shut off pump when the door is open.
- 3.3.2 Wash Cycle Timer: The washer shall be equipped with a 30 minute adjustable timer that automatically resets to the last wash time setting.
- 3.3.3 Wash Pump Suction Strainer: The washer shall be equipped with two suction strainers so any particles that pass through strainer will also pass through the hoses to minimize clogging. Strainers should be isolated independent of to allow for any potential clogging buildup in any one strainer.
- 3.4. Water Level Control: The washer shall have electronic automatic water level controls to monitor and maintain "correct water level" in reservoir. Level Control System shall lock-out and prevent operation of heat source in case of low water condition, and lock-out water fill in case of full water condition.
- 3.4.1. Circulation Pump. The pump shall be capable of handling hot caustic cleaning solutions heavily contaminated by grease, oil, and abrasive dirt. The pump shall be removable from the machine without draining of the solution. The pump shaft shall be mounted in grease able bearings located above the solution tank top. Pump system shall deliver specified total flow at the specified pressure, at a temperature not less than 15 degrees below boiling point

of water at the installation site. The pump shall be powered by an electric motor. Pump motor shall be rated for continuous duty. Pump-to-motor mounting (s) shall ensure positive coupling alignment without need for periodic adjustments. Each pump-shaft-motor assembly shall be dynamically balanced. Coupling and safety guards shall be supplied. The power washer shall be furnished with a 10 HP (minimum) capable of delivering 90-100 GPM total flow measured at the outlets (not pump head). See Table I.

3.5. Table I – Size And Capacities: The machine shall meet or exceed the requirements listed below for the machine specified. Machine size and capacity shall not be less than the stated requirements of the size ordered.

Table I

Interior Cabinet Construction: 11 gauge thick, Stainless Plate. (minimum) Outside Dimensions: 72" Wide x 60" Deep x 67" High. (Approximate).

Work Height: 45 Inches (minimum). Pump: 10 Horsepower Pump (minimum). Total System Flow: 90-100 GPM (minimum).

Reservoir Capacity: Cabinet sump/reservoir approx. 250 -300 gallons of water.



Bradley Transmission Housing

3.6. Electrical System: The electrical system of the power washing machine should have operate on a dual voltage system of 460/230 volts, 3 phase, 60 hertz and shall initially be wired for 460 Volt operation. The electrical system shall meet NFPA 79 standards, furnished with main power disconnect.

- 3.6.1. Motors: Motors shall be rated for shall be rated for continuous duty and shall have ball or roller bearings of the sealed and permanently lubricated type. Each motor shall have a dripproof enclosure.
- 3.6.2. Control Circuit Voltage: Auxiliary control circuits shall be isolated from the input electric power supply by a low voltage transformer having a secondary voltage of no greater than 120 volts.
- 3.7. Operator Control Station: The main operator's station shall be located convenient to the operator. This box will house the main disconnect and primary fusing along with the controls to operate the flushing station. The operator interface will consist of the following:
 - a. Emergency stop button.
 - b. Power on button and light.
 - c. Cycle start button.
 - d. Operator settable timer. (Flushing Cycle)
- 3.8. The washer shall be equipped with PVC swivel flanges and fasteners to facilitate installation of PVC piping between the exhaust and the washer cabinet. All the other related plumbing shall be constructed of stainless steel, brass, or copper.
- 3.9. Lubrication plate or chart. A corrosion resistant lubrication plate shall be securely attached to each machine.

Points of lubricant application

Type of lubricant

Servicing interval

SAE number or military or Federal specification for each lubricant.

- 3.9.1. Nameplate: The power washing machine shall be furnished with a nameplate, securely attached to the machine. The nameplate shall contain the following information:
 - A. Nomenclature
 - B. Manufacturer name.
 - C. Manufacturer model.
 - D. Manufacturer serial number.
 - E. Power Input (volts, total amps, phase, frequency)
 - F. Short circuit/over-current protection rating.
 - G. Contract number or order number.
 - H. National Stock Number.
 - I. Date of manufacturer.
- 3.13. Required Technical Manuals.
 - Three (3) each, operator manual
 - Three (3) each, maintenance manuals
 - Three (3) each, installation drawings
 - Three (3) each, wiring schematics
 - Three (3) each, spare parts lists,

and other instructions for operation and maintenance will be provided.

3.14. Training of Personnel. Supplier or manufacturer of equipment shall provide operator and maintenance training upon installation of equipment. Government will incur no charge for

- first training session. Training session shall be one (1) day for the operators and one (1) day for maintenance personnel.
- 3.15. Installation. Upon arrival at Red River Army Depot, equipment shall be ready to be installed. Installation drawings and manuals shall be delivered to RRAD with the equipment. The Government will perform installation of equipment.
- 4. Quality Assurance Provisions:
- 4.1. Inspection. Upon receipt of this equipment by Red River Army Depot, this equipment shall be inspected by Quality Assurance to assure that the equipment is of quality design and construction and that it fully conforms to this specification.
- 5. Statement of Conformity. Each bidder is required to submit a positive statement as to whether or not the items offered fully conform to the terms of this specification. The certificate shall be signed by a duly authorized agent of the supplier.
- 6. Safety Requirements. Equipment shall comply with Title 29 of Federal Regulations, Part 1910 and National Safety Standards. The Power Washing Machine shall comply with all applicable OSHA Standards and shall have safety devices wherever parts, components are hazardous to the operator and environment.
- 7. Preparation for Delivery. All Department of Defense equipment shall be afforded the degree of packaging, preservation and packaging required to prevent deterioration and damage due to the hazards of shipment and handling before receipt of equipment. This shall be the sole responsibility of the supplier and shall be cause for rejection of proposal per Para 4.
- 8. Warranty. The equipment furnished under this specification shall be guaranteed for a period of time equal to the manufacturer's normal commercial warranty, or for a period of one (1) year, whichever is longer, against defective materials, design and workmanship. Upon receipt of notice from the Government of failure of any part of the guaranteed equipment during the warranty period, that part, or parts, shall be replaced promptly with new parts by and at the expense of the Contractor.

Page 8 of 17

ITEM NO SUPPLIES/SERVICES QUANTITY UNIT UNIT PRICE AMOUNT 0001 1 Each \$88,600.00 \$88,600.00

Transmission Flush Test Stand

FFP

Per enclosed purchase specifications and Rogers Associates Machine Tool Corp

proposal RA# 0107126.

FOB: Destination NSN: 6237481-1962

MILSTRIP: W45G1862552429

PURCHASE REQUEST NUMBER: W45G1862552429

NET AMT \$88,600.00

ACRN AA \$88,600.00

CIN: W45G18625524290001

INSPECTION AND ACCEPTANCE TERMS

Supplies/services will be inspected/accepted at:

CLIN INSPECT AT INSPECT BY ACCEPT AT ACCEPT BY
0001 Destination Government Destination Government

DELIVERY INFORMATION

CLIN DELIVERY DATE QUANTITY SHIP TO ADDRESS UIC

0001 21-MAY-2007 1 RED RIVER ARMY DEPOT W45G18

DARLENE PHELPS XR CONSOL PROP OFF

DDRT BLDG 499

10TH STREET AND K AVENUE TEXARKANA TX 75507-5000

903-334-3818 FOB: Destination

ACCOUNTING AND APPROPRIATION DATA

AA: 97X4930AAPP6D 31EA5ZA400W45G1862552429Z94960041117

AMOUNT: \$88,600.00

CIN W45G18625524290001: \$88,600.00

CLAUSES INCORPORATED BY REFERENCE

52.211-15	Defense Priority And Allocation Requirements	SEP 1990
52.212-4	Contract Terms and ConditionsCommercial Items	SEP 2005

CLAUSES INCORPORATED BY FULL TEXT

52.000-4003 ISO 9001:2000 REGISTERED

Red River Army Depot, an ISO 9001:2000 registered industrial complex, is committed to quality.

52.211-17 DELIVERY OF EXCESS QUANTITIES (SEP 1989)


The Contractor is responsible for the delivery of each item quantity within allowable variations, if any. If the Contractor delivers and the Government receives quantities of any item in excess of the quantity called for (after considering any allowable variation in quantity), such excess quantities will be treated as being delivered for the convenience of the Contractor. The Government may retain such excess quantities up to \$250 in value without compensating the Contractor therefor, and the Contractor waives all right, title, or interests therein. Quantities in excess of \$250 will, at the option of the Government, either be returned at the Contractor's expense or retained and paid for by the Government at the contract unit price.


52.211-4009 DELIVERIES TO RED RIVER ARMY DEPOT (RRAD)

Receiving hours at Red River Army Depot are from 7:00 AM to 1:00 PM, Monday through Friday (excluding Federal holidays). Telephone (903) 334-3520.

52.212-5 CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS--COMMERCIAL ITEMS (SEP 2006)

- (a) The Contractor shall comply with the following Federal Acquisition Regulation (FAR) clauses, which are incorporated in this contract by reference, to implement provisions of law or Executive orders applicable to acquisitions of commercial items:
- (1) 52.233-3, Protest After Award (AUG 1996) (31 U.S.C. 3553).
- (2) 52.233-4, Applicable Law for Breach of Contract Claim (OCT 2004) (Pub. L. 108-77, 108-78).
- (b) The Contractor shall comply with the FAR clauses in this paragraph (b) that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items: (Contracting Officer check as appropriate.)





- (c) The Contractor shall comply with the FAR clauses in this paragraph (c), applicable to commercial services, that the Contracting Officer has indicated as being incorporated in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items: [Contracting Officer check as appropriate.]
- ____ (1) 52.222-41, Service Contract Act of 1965, as Amended (JUL 2005) (41 U.S.C. 351, et seq.). ____ (2) 52.222-42, Statement of Equivalent Rates for Federal Hires (MAY 1989) (29 U.S.C. 206 and 41 U.S.C. 351, et seq.).
- ____ (3) 52.222-43, Fair Labor Standards Act and Service Contract Act--Price Adjustment (Multiple Year and Option Contracts) (MAY 1989) (29 U.S.C. 206 and 41 U.S.C. 351, et seq.).
- ____ (4) 52.222-44, Fair Labor Standards Act and Service Contract Act--Price Adjustment (February 2002) (29 U.S.C. 206 and 41 U.S.C. 351, et seq.).
- (d) Comptroller General Examination of Record. The Contractor shall comply with the provisions of this paragraph (d) if this contract was awarded using other than sealed bid, is in excess of the simplified acquisition threshold, and does not contain the clause at 52.215-2, Audit and Records--Negotiation.
- (1) The Comptroller General of the United States, or an authorized representative of the Comptroller General, shall have access to and right to examine any of the Contractor's directly pertinent records involving transactions related to this contract.
- (2) The Contractor shall make available at its offices at all reasonable times the records, materials, and other evidence for examination, audit, or reproduction, until 3 years after final payment under this contract or for any shorter period specified in FAR Subpart 4.7, Contractor Records Retention, of the other clauses of this contract. If this contract is completely or partially terminated, the records relating to the work terminated shall be made available for 3 years after any resulting final termination settlement. Records relating to appeals under the disputes clause or to litigation or the settlement of claims arising under or relating to this contract shall be made available until such appeals, litigation, or claims are finally resolved.
- (3) As used in this clause, records include books, documents, accounting procedures and practices, and other data, regardless of type and regardless of form. This does not require the Contractor to create or maintain any record that the Contractor does not maintain in the ordinary course of business or pursuant to a provision of law.
- (e) (1) Notwithstanding the requirements of the clauses in paragraphs (a), (b), (c), and (d) of this clause, the Contractor is not required to flow down any FAR clause, other than those in paragraphs (i) through (vi) of this paragraph in a subcontract for commercial items. Unless otherwise indicated below, the extent of the flow down shall be as required by the clause--
- (i) 52.219-8, Utilization of Small Business Concerns (May 2004) (15 U.S.C. 637(d)(2) and (3)), in all subcontracts that offer further subcontracting opportunities. If the subcontract (except subcontracts to small business concerns) exceeds \$550,000 (\$1,000,000 for construction of any public facility), the subcontractor must include 52.219-8 in lower tier subcontracts that offer subcontracting opportunities.
- (ii) 52.222-26, Equal Opportunity (April 2002) (E.O. 11246).
- (iii) 52.222-35, Equal Opportunity for Special Disabled Veterans, Veterans of the Vietnam Era, and Other Eligible Veterans (SEP 2006) (38 U.S.C. 4212).
- (iv) 52.222-36, Affirmative Action for Workers with Disabilities (June 1998) (29 U.S.C. 793).

- (v) 52.222-39, Notification of Employee Rights Concerning Payment of Union Dues or Fees (DEC 2004) (E.O. 13201).
- (vi) 52.222-41, Service Contract Act of 1965, as Amended (Jul 2005), flow down required for all subcontracts subject to the Service Contract Act of 1965 (41 U.S.C. 351, et seq.).
- (vii) 52.247-64, Preference for Privately Owned U.S.-Flag Commercial Vessels (FEB 2006) (46 U.S.C. Appx 1241(b) and 10 U.S.C. 2631). Flow down required in accordance with paragraph (d) of FAR clause 52.247-64.
- (2) While not required, the contractor May include in its subcontracts for commercial items a minimal number of additional clauses necessary to satisfy its contractual obligations.

(End of clause)

52.222-4089 HOURS OF WORK

The hours of work on this contract will be from 06:30 AM until 5:00 PM, Monday - Thursday (except holidays), unless other hours unless pecifically approved by the Contracting Officer.

52.228-4026 SCHEDULE OF REQUIRED INSURANCE

- (i) Workmen's compensation and employer's liability insurance in compliance with applicable state statutes, with a minimum employers liability coverage of \$100,000.00.
- (ii) Comprehensive general liability insurance for bodily injury in the minimum limits of \$500,000.00 per occurence. No property damage liability insurance is required.
- (iii) Comprehensive automobile insurance covering the operation of all automobiles used in connection with the performance of the contract in the minimum limits of \$200,000.00 per person and \$500,000.00 per accident for bodily injury and \$20,000.00 per accident for property damage.

52.232-4059 CONTRACTOR INVOICE

Payment will be made via Electronic Fund Transfer to the EFT address loaded in the Central Contractor Register (CCR).

Following are items that must be on your invoice:

- 1. Name and address of contractor/vendor.
- 2. Invoice date.
- 3. Contract or purchase order number.
- 4. Line item number, with description, quantity, unit of measure, unit price and extended price of supplies delivered or services performed.
- 5. Shipping and payment terms (for example, shipment number and date of shipment, prompt payment discount terms). Bill of lading number and shipment will be shown for shipments on government bills of lading.
- 6. Name and address of contractor official to whom payment is to be sent (if remittance is to an address other than that on contract/purchase order, and a proper "Notice of Assignment" or

separate remittance address is indicated in contract/purchase order).

- 7. Name, title, telephone number and mailing address of person to be notified in event of a defective invoice.
- 8. Any other information or documentation required by the contract/purchase order (evidence of shipment, acceptance test, etc.).

Invoice must be marked "Original".

Mail or fax all invoices to the following address:

DFAS - Rock Island Operating Location ATTN: DFAS-RI-FPV Bldg 68 Rock Island, IL 61299-8300

FAX: 877-426-4270

52.236-4030 LOCAL RULES AND REGULATIONS

The contractor, all subcontractors, and suppliers shall be governed by police regulations on the installation. The following local rules and regulations will be strictly complied with:

- (a) Employment of Labor:
 - (i) Security regulations
 - (ii) Passes and badges
- (b) Traffic:
 - (i) Designated routes
 - (ii) Passes
 - (iii) Insurance
 - (iv) Parking regulations
- (c) Highway barricades and warning signs
- (d) Safety
- (e) Temporary structures
- (f) Fire prevention and protection
- (g) Utilities

52.236-4031 SECURITY REGULATIONS

- (a) All contractors, subcontractors, and their employees are responsible for complying with the following regulations:
- (i) Items forbidden on the depot include "strike anywhere" matches, alcoholic beverages, narcotics, photographic equipment, unauthorized tools, firearms, explosives and illegal knives (stilettoes, switchblades, hook blades, and blades over three inches in length).
- (ii) Personnel will not retain passes and badges upon job completion or termination, enter depot in an intoxicated condition, fight, gamble, picket, or create a disturbance. Failure to return badges will cost your firm \$50.00 per badge.
- (iii) Contractor will ensure that all contractor employees comply with all applicable fire, safety, and security requirements and adhere to all applicable state and federal labor laws and regulations.
 - (b) General Instructions:
 - (i) All depot traffic regulations will be observed.

- (ii) Predetermined work routes will be followed with no deviation.
- (iii) All personal vehicles and containers are subject to search and confiscation of unauthorized items while on the depot (with or without presence of owner).
- (iv) Notorious misconduct off the depot may be sufficient grounds for denying entrance to the depot.
- (v) POV'S must have a minimum insurance coverage and state inspection sticker, in accordance with Texas State Laws.
- (vi) All personnel will adhere to all depot fire, safety, security, and other applicable regulations.

52.246-4001 INSPECTION AND ACCEPTANCE

Red River Army Depot Texarkana, Texas

52.247-4049 PACKAGING & MARKING

Material is to be packaged and packed in a manner to afford adequate protection against damage during shipment from supply source


to destination. Package and pack shall conform to the applicable carrier rules, regulations and tariffs and may be the industry standard commercial practice. All unit, intermediate and exterior packs shall, as a minimum, be marked as follows by any means which provides legibility and durability: Federal Stock Number and/or Manufacturer's Part Number; Noun; Quantity; Purchase Order Number; Requisition Number; Mark for Bldg; and Ship To. Exterior shipping containers shall contain a packing list or other documentation setting forth contents.

252.212-7001 CONTRACT TERMS AND CONDITIONS REQUIRED TO IMPLEMENT STATUTES OR EXECUTIVE ORDERS APPLICABLE TO DEFENSE ACQUISITIONS OF COMMERCIAL ITEMS (NOV 2006)

(a) The Contractor agrees to comply with the following Federal Acquisition Regulation (FAR) clause which, if checked, is included in this contract by reference to implement a provision of law applicable to acquisitions of commercial items or components.

52.203-3, Gratuities (APR 1984) (10 U.S.C. 2207).

- (b) The Contractor agrees to comply with any clause that is checked on the following list of Defense FAR Supplement clauses which, if checked, is included in this contract by reference to implement provisions of law or Executive orders applicable to acquisitions of commercial items or components.
- (1) ____ 252.205-7000, Provision of Information to Cooperative Agreement Holders (DEC 1991) (10 U.S.C. 2416).
- (2) ____ 252.219-7003, Small, Small Disadvantaged and Women-Owned Small Business Subcontracting Plan (DoD Contracts) (APR 1996) (15 U.S.C. 637).



- (iv) Alternate III (MAY 2002) of 252.247-7023.
- (21) ____ 252.247-7024, Notification of Transportation of Supplies by Sea (MAR 2000) (10 U.S.C. 2631).
- (c) In addition to the clauses listed in paragraph (e) of the Contract Terms and Conditions Required to Implement Statutes or Executive Orders--Commercial Items clause of this contract (FAR 52.212-5), the Contractor shall include the terms of the following clauses, if applicable, in subcontracts for commercial items or commercial components, awarded at any tier under this contract:
- (1) 252.225-7014, Preference for Domestic Specialty Metals, Alternate I (APR 2003) (10 U.S.C. 2533a).
- (2) 252.237-7019, Training for Contractor Personnel Interacting with Detainees (SEP 2006) (Section 1092 of Public Law 108-375).
- (3) 252.247-7023, Transportation of Supplies by Sea (MAY 2002) (10 U.S.C. 2631).
- (4) 252.247-7024, Notification of Transportation of Supplies by Sea (MAR 2000) (10 U.S.C. 2631).

(End of clause)